GRAPHIC SPECIFICATIONS

BN040 - Triple Banner Display 90

Artwork specifications:


- ✓ file format: TIFF, JPG, PDF, CDR, EPS, PSD, AI we recommend TIFF
- ✓ color mode: RGB, CMYK or a combination of RGB, CMYK, Pantone (only in PDF or AI files)
- ✓ the artwork should be build as one file, without bleed / trimming marks
- ✓ scale 1:1
- ✓ resolution: minimum 72 dpi we recommend 150 dpi
- ✓ all Corel Draw files must have fonts converted to outlines.
- ✓ we recommend using LZW compression when exporting TIFF files.

Product specifications:

- ✓ total graphic area: W: 905 mm H: 2175 mm
- ✓ visible graphic area: W: 905 mm H: 2135 mm

Recommendations:

- ✓ Do not place important graphic elements (logo, texts, images, etc.) in the following areas:
- last 20 mm to the bottom and last 20 mm to the top, which may get into the case (see the next page template)
 - close to the edge of the visible area.
- ✓ The graphic colors may slightly differ from the colors on your screen or on other print proofs, due to factors such as: type of the printed material, ink type, print technology, your screen calibration, etc. If in doubt, we recommend you to request a print proof, prior to placing an order.



visible area

Total graphic area: (w) 905 x (h) 2175 mm.

Place the graphic elements (logo, texts, images, etc.) in the grey central area.

Place only background in the red area, without important graphic elements.

visible area

Total graphic area: (w) 905 x (h) 2175 mm.

Place the graphic elements (logo, texts, images, etc.) in the grey central area.

Place only background in the red area, without important graphic elements.

visible area

Total graphic area: (w) 905 x (h) 2175 mm.

Place the graphic elements (logo, texts, images, etc.) in the grey central area.

Place only background in the red area, without important graphic elements.